



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,057	10/31/2003	Brian Joseph Dillenburg	PB 03 0006 (SPLG 3)	2573
38790 7590 12/15/2008 THE SMALL PATENT LAW GROUP LLP 225 S. MERAMEC, STE. 725T ST. LOUIS, MO 63105			EXAMINER YAARY, MICHAEL D	
			ART UNIT 2193	PAPER NUMBER
			MAIL DATE 12/15/2008	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/699,057	<b>Applicant(s)</b> DILLENBURG ET AL.	
	<b>Examiner</b> MICHAEL YAARY	<b>Art Unit</b> 2193	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 09/12/2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 and 24-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 and 24-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1-22 and 24-27 are pending in the application.

### ***Response to Arguments***

2. Applicant's arguments filed 09/12/2008 have been fully considered but they are not persuasive.

Applicant argues that A) Noble does not teach “a method for distributing software components to a plurality of test stations that each analyze products,” as recited in claim 1; B) Noble does not teach “distributing the software, component, from the test management system to the workstation automatically,” as recited in claim 1; C) one of ordinary skill in the art would have no reason to implement Mutchler's method for installing software onto a unit under test into Noble's architecture, and thus the rejection of claim 1 is improperly based on hindsight reconstruction; D) the device handler of Proskauer is not the same as the “instrument used to test the product,” as recited in claim 1; E) Proskauer does not teach “downloading at the computer station an equipment file set including said software component, said equipment file set directing the computer station to operate the instrument to analyze the product,” as recited in claim 1; F) Proskauer does not teach a “protocol identification file in an equipment file set,” as in claim 8; G) Proskauer does not teach the claimed calibration file as recited in

Art Unit: 2193

claim 9; H) No reason exists to modify the teachings of Kittross, Proskauer, and Mutchler as in claim 15; I) Noble does not teach the database is located remotely from the computer station as in claim 15; and J) Blitz does not make up the deficiencies of claims 26 and 27.

3. With respect to argument A) examiner respectfully disagrees. Abstract and column 1, lines 12-19 disclose a distributive environment for development and execution of test programs for a programmable tester of circuits, thus being equivalent to the method as claimed in the preamble of claim 1.

4. With respect to argument B) examiner respectfully disagrees. The cited portions in Noble clearly show an automatic distribution of software from the test management system to the workstation. Figure 1 discloses the specific configuration of the distributive system and column 1, line 53-column 2, line 42 teach of development of the tester programs for the testing of circuits.

5. With respect to argument C) examiner respectfully disagrees. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only

Art Unit: 2193

from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). In this case Noble teaches the development and execution of test programs for the testing of circuit. Mutchler is directed to configuring a unit under test. Thus, both references are directed towards the field of developing programs for device testing; and both references are properly used in combination as cited in the rejection.

6. With respect to argument D) examiner respectfully disagrees. Proskauer discloses the testing system utilizing together tester 2002 and handler 2004 to perform the device testing as cited. Further Proskauer, column 2, lines 11-27 disclose a specific instrument provided for testing. Thus, Proskauer is sufficient in teaching "an instrument is used to test the product."

7. With respect to argument E) examiner respectfully disagrees. The cited portion of Proskauer and figure 2, disclose handler 2004 used in conjunction with tester 2002 as part of the testing environment. Further, particular driver software for the handler is obtained for operation in the workstation and thus is equivalent to the claimed equipment file set.

8. With respect to argument F) examiner respectfully disagrees. The cited portion of Proskauer discloses the communication interface and the way communication is done in the test environment; thus equating to communications protocol. Applicant argues on

Art Unit: 2193

page 6, lines 4-5 that "Proskauer....do not create, nor save, the claimed protocol identification file." This however is not found in the limitations of claim 8. Claim 8 does not recite creating then saving the file communication protocol file. Thus, when given the broadest reasonable interpretation, Proskauer teaches the claimed limitation.

9. With respect to argument G) examiner respectfully disagrees. Examiner has disclosed how the handler along with the tester in Proskauer teach the instruments as part of the testing. Further column 6, lines 24-27 of Proskauer discloses the programming involved, thus equivalent to the calibration.

10. With respect to argument H) examiner respectfully disagrees. Applicant argues that no reason exists to modify the teachings of Kittross, Proskauer, and Noble as in claim 15. Examiner believes there is sufficient reason to combine the references. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Kittross is directed to a test procedure for testing a device using automatic test equipment; Proskauer is directed to a software control system in a testing environment; and Noble is directed the

Art Unit: 2193

development and execution of test programs for the testing of circuit. All three references are in the same field of endeavor and contain sufficient reasons to make the combination as cited in the rejection.

11. With respect to argument I) examiner respectfully disagrees. The rejection clearly teaches in Noble where a server (test management system) is located remotely from tester 110 (test station), that stores the programs to be accessed.

12. With respect to argument J) examiner respectfully disagrees. Applicant argues that the workbook of Blitz does not teach “enables a user to track relationships between said instrument and said computer station. “ Blitz discloses (column 4, lines 38-67) building template data structure to be used during testing. This is done using workbook 312. The workbook holds data and the data manager assembles parameter data structures that hold specific data that is passed to the tester during testing. Thus, when combined with the teachings of Kittross and Proskauer, this data can be interpreted as relationship data as well as other stored parameter data. Furthermore, the pre-release tool as recited in claim 27 is interpreted as the passing of data form the workbook to the testing environment (column 4, lines 61-68).

Art Unit: 2193

***Claim Rejections - 35 USC § 103***

13. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

14. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noble (US Pat. 5,892,949) in view of Mutchler (US Pat. 6,889,157) and Proskauer (US Pat. 5,828,674).

15. Mutchler and Proskauer were cited in the previous office action dated 06/12/2008.

16. **As to claim 1**, Noble discloses a method for distributing software components to a plurality of test stations (abstract and column 1, lines 12-19), said method comprising:

Accessing a test management system that is located remotely from the test stations, the test stations each analyze products, the test management system storing a plurality of software components (Column 3, lines 48-56 and figure 1 discloses a server 120c (test management system), located remotely from tester 110 (test station), that stores test programs to be accessed.);

Obtaining at least one of the software components that includes information used by a computer station which communicates with a test station to analyze a product (Column 1, lines 12-19; column 3, lines 48-56; and figure 1 disclose a workstation 120a



Art Unit: 2193

(computer station) in communication with tester 110 to test products such as circuits in using the stored products obtained from server 120c.); and

Distributing the software component, from the test management system, to the computer station automatically (column 1, line 53-column 2, line 42; column 3, lines 48-56; and figures 1 and 3).

17. Noble does not disclose that the distributing of the software component is based on at least one of an identification of the test station and an identification of the product. However, Mutchler discloses that the distributing of the software component is based on at least one of an identification of the test station and an identification of the product (Column 1, lines 42-55 disclose installing and configuring test files for a specific device under test based on a unique identifier that corresponds to the specific device under test and thus can be taken in combination with the distributive communication means of Noble.).

18. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Noble, by configuring testing files based on identification information, as taught by Mutchler, for the benefit of providing greater efficiency in processing as one would be motivated to make the combination in order to reduce the time for configuration and distribution.

Art Unit: 2193

19. The combination of Noble and Mutchler do not disclose wherein an instrument is used to test the product; and downloading at the computer station an equipment file set including said software component, said equipment file set directing the computer station to operate the instrument to analyze the product.

However, Proskauer discloses wherein an instrument is used to test the product; and downloading at the computer station an equipment file set including said software component, said equipment file set directing the computer station to operate the instrument to analyze the product (Column 2, lines 11-27 and column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers in conjunction with the tester used for operation in a particular workstation, regardless of the product tested.).

20. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Noble and Mutchler, by associating specific drivers for different equipment at different workstations as taught by Proskauer, for the benefit of creating smaller and more simple driver modules for instrument control (Proskauer column 6, lines 5-6).

21. **As to claim 2**, the combination of Noble, Mutchler, and Proskauer disclose an equipment file set including said software component, said equipment file set directing the computer station to operate an instrument, said equipment file set being uniquely associated with the computer station and independent of the product (Proskauer,

Art Unit: 2193

Column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers (instruments) used for operation in a particular workstation, regardless of the product tested.).

22. **As to claim 3**, the combination of Noble, Mutchler, and Proskauer disclose downloading at the computer station an equipment file set that is uniquely associated with the computer station and the instrument and said equipment file set being independent of the product (Column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers (instruments) used for operating the instrument in a particular workstation, thus controlling and analyzing the product, regardless of what product is tested.).

23. Claims 4-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noble in view of Mutchler and Proskauer as applied to claim 1 above, and further in view of Kittross et al. (hereafter Kittross)(US Pat. 6,681,351).

24. Kittross was cited in the previous office action dated 06/12/2008.

25. **As to claim 4**, the combination of Noble, Mutchler, and Proskauer do not disclose the obtaining being done by downloading at the computer station a test program set, said test program set directing the computer station to analyze the

Art Unit: 2193

product, and said test program set being uniquely associated with the product and being associated with the computer station.

However, Kittross discloses the obtaining being done by downloading at the computer station a test program set, said test program set directing the computer station to analyze the product, and said test program set being uniquely associated with the product and being associated with the computer station (Kittross, column 4, lines 7-12 and 55-58).

26. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Noble, Mutchler, and Proskauer, by utilizing specific test procedures and instructions for a specific task, as taught by Kittross, for the benefit of testing specific device in a consistent automated manner based on the specific test program (Kittross, column 1, lines 40-42).

27. **As to claim 5**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose an instrument is used to test the product (Kittross, column 6, lines 45-47), said obtaining step comprises downloading at the computer station a test program set, said test program set directing the computer station to analyze the product, and said test program set being uniquely associated with the product and being associated with the computer station and the instrument (Kittross, column 4, lines 7-12 and 55-58).

Art Unit: 2193

28. **As to claim 6**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose testing the product with an instrument based on the software component, wherein the instrument is at least one of a power supply, a communication analyzer, a signal generator, and a frequency counter (Kittross, column 6, lines 45-47 and column 11, lines 25-30 disclose a power supply).

29. **As to claim 7**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose downloading at the computer station at least one of a communication file, a configuration file, a calibration file, a test executive file, a test sequence file, a specification file, and a test step execution file (Mutchler, column 4, lines 38-42 disclose a configuration file).

30. **As to claim 8**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose a database for storing software components (Kittross, test element database 36 of figure 1); multiple equipment file sets (Proskauer, column 2, lines 11-27 and column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers in conjunction with a tester used for operating the instrument in a particular workstation, thus controlling and analyzing the product), each equipment file set including at least one file identifying communications protocols between the computer station, the product and the instrument used to test the product (Proskauer, Column 6, lines 21-27 and lines 34-39 disclose the way communication is done in the test station environment, thus providing a communications protocol.).

31. **As to claim 9**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose a database for storing multiple software components (Kittross, test element database 36 of figure 1); multiple equipment file sets (Proskauer, column 2, lines 11-27 and column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers in conjunction with a tester used for operating the instrument in a particular workstation, thus controlling and analyzing the product), and each equipment file set including at least one file identifying a calibration for an instrument to be used by the computer station to analyze the product (Proskauer, Column 6, lines 24-27 disclose programming the handler (instrument) appropriately, thus calibrating accordingly for testing).

32. **As to claim 10**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose analyzing at least one of a printed circuit board assembly, a combination of the printed circuit board assemblies, a module, a circuit pack, a field replaceable unit (FRU), a processor, a memory, and a cable (Mutchler, Unit under test 105 of figure 9).

33. **As to claim 11**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose storing, in a database, multiple test program sets (Kittross, column 4, lines 7-12), each of which includes at least one test step execution file that identifies steps to be executed by an instrument configured to test the product, wherein said obtaining step comprises accessing the test step execution file (Kittross, column 3, lines 58-66).

34. **As to claim 12**, the combination of Noble, Mutchler, Proskauer, and Kittross disclose said test management system comprises a management file service accessed, by the computer station, to download software component updates (Noble, column 5, lines 5-21).

35. Claims 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noble in view of Mutchler and Proskauer as applied to claim 1 above, and further in view of Blitz (US Pat. 6,047,293).

36. Blitz was cited in the previous office action dated 06/12/2008.

37. **As to claim 13**, the combination of Noble, Mutchler, Proskauer do not disclose storing a relationship between the software components, products, instruments, and computer stations.

However, Blitz discloses storing a relationship between the software components, products, instruments, and computer stations (Column 5, lines 54-55 and column 6, lines 11-13 and 38-42 disclose different types of information being stored regarding the Excel workbook. Also it is mentioned that the spreadsheets contain all data required for a test, thus making it obvious that relationship data regarding products,

Art Unit: 2193

instruments, and computer stations would be necessary as they are relevant pieces of information needed for testing.).

38. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Noble, Mutchler, and Proskauer by, storing relationships regarding different components of the test system as taught by Blitz, for the benefit of creating an efficient and organized means of accessing relevant information necessary for product testing.

39. **As to claim 14**, the combination of Noble, Mutchler, Proskauer, and Blitz disclose storing in database information identifying multiple products, test stations used to test each product, instruments used to test the products, and fixtures used to hold the products (Blitz, Data manager 316 in figure 2, and column 5, lines 54-56 disclose how all required data regarding testing is stored in the data manger, thus being obvious that test station, instrument, and fixture information would be included as their data are required pieces of information necessary for testing.).

40. Claims 15-22 and 24-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kittross in view of Proskauer and Noble.

41. **As to claim 15**, Kittross discloses a management system database configured to be used with a computer station that operates an instrument (test interface 28 of figure



Art Unit: 2193

1) when analyzing a product (test devices 46-1 – 46-X and test element database 36 of figure 1; abstract, lines 1-3; and column 12, lines 40-41).

42. Kittross does not disclose the database storing software components that are configured to be executed by the computer station to communicate with and operate the instrument in order to analyze the product, said database automatically accessing said software components based on identification of at least one of the computer station, the instrument and the product.

However, Proskauer discloses the database storing software components that are configured to be executed by the computer station to communicate with and operate the instrument in order to analyze the product, said database automatically accessing said software components based on identification of at least one of the computer station, the instrument and the product (Column 6, lines 17-38 disclose how communication is done in a testing environment by the computer station communicating with the handler or instrument, thus providing communication procedures and components that can be stored in the database when combined with the teachings of Kittross.).

43. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Kittross, by implementing software components used to communicate with and operate the instruments, as taught by

Art Unit: 2193

Proskauer, in order create a flexible easy to use test system allowing for changes to be made as necessary to the varying testing requirements.

44. The combination of Kittross and Proskauer do not disclose said database is located remotely from said computer station. However, Noble discloses said database is located remotely from said computer station (Column 3, lines 48-56 and figure 1 discloses a server 120c (test management system), located remotely from tester 110 (test station), that stores test programs to be accessed).

45. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Kittross and Proskauer, by implementing a database remotely located from the computer station, as taught by Noble, for the benefit of efficiently distributing software components to a plurality of different computer stations.

46. **As to claim 16**, the combination of Kittross, Proskauer, and Noble disclose said software components are organized into at least one equipment file set defining a station specific test solution to be executed by the computer station to direct the instrument to perform a test solution, said equipment file set being uniquely associated with the computer station and the instrument, said equipment file set being independent of the product (Proskauer, Column 5, line 66-column 6, line 4 disclose individual driver software (equipment file set) associated with handlers (instruments) used for operation

Art Unit: 2193

in a particular workstation, thus allowing the instrument to perform a particular testing solution, regardless of what product is being tested.).

47. **As to claim 17**, the combination of Kittross, Proskauer, and Noble disclose said software components are organized into at least one test program set that defines a product specific test solution to be executed by the computer station to direct the instrument (Kittross, test interface 28 of figure 1) to perform a test solution on the product (Kittross, test devices 46-1 – 46-X of figure 1), said test program set being uniquely associated with the product, said test program set being associated with the instrument and the computer station (Kittross, column 4, lines 7-12 and 55-58).

48. **As to claims 18 and 25**, the combination of Kittross, Proskauer, and Noble disclose said software components correspond to at least one of a communication file, a configuration file, a calibration file, a test executive file, a test sequence file, a specification file, and a test step execution file (Kittross, Column 4, lines 50-54 disclose obtaining instructions for testing, thus a test step execution file).

49. **As to claims 19 and 24**, the combination of Kittross, Proskauer, and Noble disclose discloses said software components are configured to control the computer station to analyze at least one of a printed circuit board assembly, a combination of printed circuit board assemblies, a module, a circuit pack, a field replaceable unit (FRU),

Art Unit: 2193

a processor, a memory, and a cable (Kittross, Column 4, lines 17-19 disclose testing a circuit board.).

50. **As to claim 20**, the combination of Kittross, Proskauer, and Noble disclose said software components define an equipment file set that, when executed by the computer station, calibrates an instrument to execute a test sequence (Proskauer, Column 6, lines 24-27 disclose programming the handler (instrument) appropriately, thus calibrating accordingly for testing).

51. **As to claim 21**, Kittross discloses a computer station configured to control operation of an instrument (test interface 28 of figure 1) as the instrument analyzes a product (abstract and test devices 46-1 – 46-X of figure 1, automatic test equipment system (ATE) 20 of figure 1), said computer station controlling the instrument based on an equipment file set (column 4, lines 7-12 and 55-58), a test station communicating with said computer station and said instrument (Column 4, lines 48-58 and figure 1 disclose the claimed computer station and test station as described by the instant application in figure 1 and [0014] of the specification; The computer station containing memory and being a part or a subset of the test station, which is made up of the computer station, product, and instrument. Figure 1 of Kittross discloses the test station as a whole containing a computer station. Column 4, lines 48-58 disclose how the ATE (test equipment or test station) obtains a test procedure from memory (obtaining it from the computer station part of the test station), thus reading on how the computer station

Art Unit: 2193

communicates with test station for obtaining software components.); a management system database in communication with said computer station (test interface 28 of figure 1 and column 4, lines 7-47), said database being accessible by said computer station, wherein said computer station controls said instrument during analysis of the product based on said equipment file set (column 4, lines 7-47).

52. Kittross does not disclose said database storing said equipment file set, and wherein said equipment file set includes a set of software components associated with said test station and independent of said product.

However, Proskauer discloses said database storing said equipment file set, and wherein said equipment file set includes a set of software components associated with said test station and independent of said product (Column 5, line 66-column 6, lines 38 disclose equipment file sets associated with handlers (instruments) used for operation in a particular workstation regardless of the product tested, and how communication is done in a testing environment by the computer station communicating with the handler or instrument, thus providing communication procedures and components that can be stored in the database when combined with the teachings of Kittross as utilizing a database for storage would provide a more efficient means of organizing components and procedures to be communicated.).

53. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Kittross, by utilizing the database of

Art Unit: 2193

Kittross to store the equipment file set and components taught by Proskauer, for the benefit of providing a more efficient means of organization and storage of the components and procedures to be communicated.

54. The combination of Kittross and Proskauer do not disclose the management system database is located remotely from said computer station. However, Noble discloses the management system database is located remotely from said computer station (Column 3, lines 48-56 and figure 1 discloses a server 120c (test management system), located remotely from tester 110 (test station), that stores test programs to be accessed).

55. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Kittross and Proskauer, by implementing a database remotely located from the computer station, as taught by Noble, for the benefit of efficiently distributing software components to a plurality of different computer stations.

56. **As to claim 22**, the combination of Kittross, Proskauer, and Noble disclose said computer station controls said instrument during analysis of the product based on said test program set, wherein said test program set is stored by said database and includes a set of software components that are specific to the product and associated with at least one of said computer station and said instrument (Kittross, column 4, lines 7-47)

Art Unit: 2193

and discloses said computer station controls said instrument during analysis of the product based on said equipment file set (Proskauer, column 5, line 66-column 6, lines 38).

57. Claims 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kittross in view of Proskauer and Noble, as applied to claim 21 above, and further in view of Blitz.

58. **As to claim 26**, the combination of Kittross, Proskauer, and Noble do not disclose a developer file that enables a user to track relationships between said instrument and computer station.

However, Blitz discloses a developer file that enables a user to track relationships between said instrument and computer station (Column 2, lines 50-54 discloses a workbook (developer file) containing nested levels of device parameter data, thus being capable of tracking relationships between instrument and computer station.).

59. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the teachings of Kittross, Proskauer, and Noble by, incorporating a spreadsheet workbook for tracking and maintaining data as taught by Blitz, for the benefit of efficiently increasing data retrieval speed during testing.

Art Unit: 2193

60. **As to claim 27**, the combination of Kittross, Proskauer, Noble, and Blitz disclose a pre-release tool that is used to release information generated in a developer file (Blitz, Column 4, lines 61-68 disclose passing information from the workbook (developer file) to be tested, thus releasing the information.).

### ***Conclusion***

61. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL YAARY whose telephone number is (571)270-1249. The examiner can normally be reached on Monday-Friday, 8:00 a.m - 5:00 p.m..



Art Unit: 2193

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on (571) 272-3759. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. Y./

Examiner, Art Unit 2193

/Lewis A. Bullock, Jr./

Supervisory Patent Examiner, Art Unit 2193